

SEQUENCE LISTING

<223> Xaa is Pal

```
<110> Carlsberg Research Center
<120> AFFINITY FISHING FOR LIGANDS AND PROTEIN RECEPTORS
<130> P 782 PC00
<160> 64
<170> PatentIn version 3.1
<210> 1
<211>
      6
<212> PRT
<213> Artificial Sequence
<220>
<223> Peptide Spacer
<400> 1
Gly Pro Pro Phe Pro Phe
<210> 2
<211> 7
<212> PRT
<213> Artificial Sequence
<220>
<223> Peptide Spacer
<400> 2
Ala Pro Arg Pro Pro Arg Ala
<210> 3
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Pip
<220>
<221> MISC_FEATURE
     (2)..(3)
<222>
```

```
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is Pya
<220>
      MISC_FEATURE
<221>
<222>
      (6)..(6)
<223> Xaa is Pip
<400> 3
Xaa Xaa Xaa Phe Xaa Xaa
<210> 4
<211>
      6
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC FEATURE
<222> (1)..(1)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222> (2)..(3)
<223> Xaa is Hyp
<220>
<221> MISC FEATURE
<222> (5)..(5)
<223> Xaa is Acm
<400> 4
Xaa Xaa Xaa Phe Xaa Tyr
<210> 5
<211> 6
<212> PRT
<213> Artificial Sequence
```

<220>

2

```
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Gua
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Pip
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is Acc
<220>
<221> MISC_FEATURE
<222> (6) ... (6)
<223> Xaa is Pip
<400> 5
Xaa Xaa Xaa Phe Xaa
                5
<210> 6
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Aze
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Aze
```

```
<400> 6
Phe Xaa Gly His Gly Xaa
<210> 7
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is Pip
<400> 7
Phe Thr Xaa Xaa Asp His
                5
<210> 8
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC FEATURE
<222> (2)..(2)
<223> Xaa is Ppy
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Acc
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is Ppy
```

```
<220>
<221> MISC_FEATURE
<222>
      (6)..(6)
<223> Xaa is Hpy
<400> 8
Phe Xaa Xaa Ala Xaa Xaa
<210> 9
<211>
      6
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Pal
<220> ·
<221> MISC FEATURE
<222> (4)..(4)
<223> Xaa is Hyp
<220>
<221> MISC FEATURE
<222> (6)..(6)
<223> Xaa is Hyp
<400> 9
Phe Xaa Xaa Xaa Thr Xaa
<210> 10
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
```

```
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Gua
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Pal
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is Gua
<400> 10
Phe Xaa Xaa Tyr Xaa Tyr
<210> 11
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Peptide
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Pal
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is Abi
<400> 11
Xaa Xaa Gly Gly Xaa His
<210> 12
```

<211> 6

```
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1) ... (1)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222>
      (3)..(4)
<223> Xaa is Hyp
<220>
<221> MISC_FEATURE
<222>
      (6)..(6)
<223> Xaa is unknown
<400> 12
Xaa Thr Xaa Xaa His Xaa
<210> 13
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC FEATURE
<222> (1)..(1)
<223> Xaa is Pya
<220>
<221> MISC_FEATURE
<222>
      (2)..(2)
<223> Xaa is Gua
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
```

```
<222> (5)..(5)
<223> Xaa is Abr
<400> 13
Xaa Xaa Xaa Asp Xaa Tyr
<210> 14
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Abi
<220>
<221> MISC_FEATURE
<222>
      (5)..(5)
<223> Xaa is Che
<400> 14
Xaa Phe Xaa Phe Xaa Tyr
<210> 15
<211> 5
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
```

<400> 15

```
Xaa Phe Asn His Ser
<210> 16
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
     Binding ligand from peptide library
<223>
<220>
      MISC_FEATURE
<221>
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 16
Xaa Phe Ala Leu Val
<210> 17
<211>
      5
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221>
      MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 17
Xaa Phe Gly Ile Trp
<210> 18
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
       Binding ligand from peptide library
<220>
<221>
      MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
```

```
<400> 18
Xaa Phe Gly Ile Met
<210> 19
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
      Binding ligand from peptide library
<223>
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 19
Xaa Gly Val Phe Leu
<210> 20
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 20
Xaa Tyr Ser Met Pro
<210> 21
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
```

```
<400> 21
Xaa Leu Ser Trp Trp
<210> 22
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 22
Xaa His Trp His Ile
<210> 23
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 23
Xaa His Trp Val Val
<210> 24
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
```

```
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 24
Xaa His Leu Gly Tyr
<210> 25
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
      Binding ligand from peptide library
<223>
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 25
Xaa Ile Tyr Leu Phe
<210> 26
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 26
Xaa Phe Gly Leu Met
<210> 27
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
```

```
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 27
Xaa Trp Val Asn Met
<210> 28
<211>
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 28
Xaa Met Val Asn Trp
<210> 29
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 29
Xaa His Ile Gly Tyr
<210> 30
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
```

```
<223> Binding ligand from peptide library
<220>
<221> MISC FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 30
Xaa Leu Tyr Leu Phe
<210> 31
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 31
Xaa His Trp His Leu
<210> 32
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 32
Xaa Phe Val Trp His
<210> 33
<211> 5
<212> PRT
<213> Artificial Sequence
```

```
<220>
       Binding ligand from peptide library
 <223>
 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is T(Sa)
 <400> 33
 Xaa Leu Tyr Ile Phe
 <210> 34
 <211>
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223>
       Binding ligand from peptide library
 <220>
 <221> MISC_FEATURE <222> (1)..(1)
 <223> Xaa is ManS
 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is ManS
 <400> 34
 Xaa Gly Xaa Asp Asn Ala
 <210> 35
 <211> 6
 <212> PRT
 <213> Artificial Sequence
 <220>
 <223>
       Binding ligand from peptide library
 <220>
 <221> MISC_FEATURE
 <222>
       (1)..(1)
<223> Xaa is ManS
<220>
<221> MISC_FEATURE
```

(

```
<222> (3)..(3)
<223> Xạa is GlcNN
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is ManS
<400> 35
Xaa Gly Xaa Asn Xaa Tyr
<210> 36
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is ManN
<400> 36
Xaa Phe Trp Ser Lys His
             5
<210> 37
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is GlcNN
<400> 37
Xaa Trp Phe Asp Trp Pro
<210> 38
<211> 6
```

```
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is GlcNN
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Xaa is GlcNN
<220>
<221> MISC_FEATURE
<222>
      (5)..(5)
<223> Xaa is ManS
<400> 38
Xaa Val Xaa His Xaa Gly
<210> 39
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Binding ligand from peptide library
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is ManN
<220>
<221> MISC_FEATURE
<222>
      (2)..(2)
<223> Xaa is ManS
<220>
<221> MISC_FEATURE
      (3) .. (3)
<222>
<223> Xaa is ManN
<400> 39
```

```
Xaa Xaa Xaa Trp Ser Trp
<210> 40
<211> 6
<212> PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<400> 40
Gly Pro Lys Lys Tyr His
<210> 41
<211>
<212>
      PRT
<213> Artificial Sequence
<220>
<223> Binding ligand from peptide library
<400> 41
His Thr Trp Gly Tyr Trp
<210> 42
<400> 42
000
<210> 43
<400> 43
000
<210>
      44
<211>
<212>
      PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<400> 44
```

Gly Pro Lys Lys Tyr His

1

<210> 45

<211> 6

<212> PRT

<213> Artificial

<220>

<221> MISC_FEATURE <223> Binding ligand

<400> 45

His Thr Trp Gly Tyr Trp 1 5

<210> 46

<211> 6 <212> PRT

<213> Artificial

<220>

<221> MISC_FEATURE

<223> Binding ligand

<400> 46

Phe Thr Tyr Phe Ala Lys

<210> 47

<400> 47

000

<210> 48

<400> 48

000

<210> 49

<400> 49

000

<210> 50

```
<400> 50
000
<210> 51
<211>
<212> PRT
<213> Artificial sequence
<220>
<223> Binding ligand from peptide library
<400> 51
Phe Thr Tyr Phe Ala Lys
<210> 52
<400> 52
000
<210> 53
<400> 53
000
<210> 54
<400> 54
000
<210> 55
<400>
      55
000
<210> 56
<400> 56
000
<210>
      57
<211>
      6
<212> PRT
```

<213> Artificial

```
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE <222> (3)..(3)
<223> Xaa is Hyp
<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Gua
<400> 57
Lys Met Xaa Trp Tyr Xaa
<210> 58
<211> 6
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is Gua
<220>
<221> MISC FEATURE
<222> (6)..(6)
<223> Xaa is Gua
<400> 58
Phe Asp Trp Xaa Thr Xaa
<210> 59
<211> 5
<212> PRT
<213> Artificial
```

<220>

```
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 59
Xaa Tyr Gly Ala Met
<210> 60
<211> 5
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE <223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 60
Xaa Ser Val Trp Phe
<210> 61
<211> 5
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 61
Xaa His Tyr Phe Phe
```

e 1 g

```
<210> 62
<211> 5
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Xaa is T(Sa)
<400> 62
Xaa Ile Tyr Tyr Phe
<210> 63
<211> 5
<212> PRT
<213> Artificial
<220>
<221> MISC_FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is T(Sa)
<400> 63
Xaa Gln Pro Gly Met
<210> 64
<211> 5
<212> PRT
<213> Artificial
<220>
<221> MISC FEATURE
<223> Binding ligand
<220>
<221> MISC_FEATURE
```

_{F1} 1 11

<222> (1)..(1) <223> Xaa is T(Sa)

<400> 64

Xaa Gly Pro His Gly 1 5 ·